	Type	Hits	Search Text
1	BRS	8797	(node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program)
2	BRS	66885	(quiescent or inactive or freeze or off) near5 state
3	BRS	558991	(period or alloted or certain or predetermined) near5 time
4	BRS	46	((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program)) same ((quiescent or inactive or freeze or off) near5 state)
5	BRS	6022	((period or alloted or certain or predetermined) near5 time) same ((quiescent or inactive or freeze or off) near5 state)
6	BRS	235	((period or alloted or certain or predetermined) near5 time) same ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program))
7	BRS	1	(((period or alloted or certain or predetermined) near5 time) same ((quiescent or inactive or freeze or off) near5 state)) and (((period or alloted or certain or predetermined) near5 time) same ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program))) and (((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program)) same ((quiescent or inactive or freeze or off) near5 state))
8	BRS	4	(((period or alloted or certain or predetermined) near5 time) same ((quiescent or inactive or freeze or off) near5 state)) and (((period or alloted or certain or predetermined) near5 time) same ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program)))
9	BRS	13224	(LAN or WAN or MAN) near5 network

	Type	Hits	Search Text
10	BRS	39	((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program)) same ((LAN or WAN or MAN) near5 network)
11	BRS	1	(((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program)) same ((LAN or WAN or MAN) near5 network)) and ((quiescent or inactive or freeze or off) near5 state)
12	BRS	626	((LAN or WAN or MAN) near5 network) and ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program))
13	BRS	313	(((LAN or WAN or MAN) near5 network) and ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program))) and ((period or alloted or certain or predetermined) near5 time)
14	BRS	37	((((LAN or WAN or MAN) near5 network) and ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program))) and ((period or alloted or certain or predetermined) near5 time)) and ((quiescent or inactive or freeze or off) near5 state)
15	BRS	69614	(resource or equipment or part) near5 (add$4 or replaced or exchanged)
16	BRS	825	((resource or equipment or part) near5 (add$4 or replaced or exchanged)) and ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program))
17	BRS	151	(((resource or equipment or part) near5 (add$4 or replaced or exchanged)) and ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program))) and ((quiescent or inactive or freeze or off) near5 state)

	DBs	Time Stamp	Comments	Error Definition
10	USPAT	2002/04/12 10:51		
11	USPAT	2002/04/12 10:52		
12	USPAT	2002/04/12 10:52		
13	USPAT	2002/04/12 10:52		
14	USPAT	2002/04/12 11:04		
15	USPAT	2002/04/12 11:08		Truncation overflow.
16	USPAT	2002/04/12 11:08		
17	USPAT	2002/04/12 11:09		

	Type	Hits	Search Text
18	BRS	116	((((resource or equipment or part) near5 (add$4 or replaced or exchanged)) and ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program))) and ((quiescent or inactive or freeze or off) near5 state)) and ((period or alloted or certain or predetermined) near5 time)
19	BRS	6	(((((resource or equipment or part) near5 (add$4 or replaced or exchanged)) and ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program))) and ((quiescent or inactive or freeze or off) near5 state)) and ((period or alloted or certain or predetermined) near5 time)) and ((LAN or WAN or MAN) near5 network)
20	BRS	79	(((((resource or equipment or part) near5 (add$4 or replaced or exchanged)) and ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program))) and ((quiescent or inactive or freeze or off) near5 state)) and ((period or alloted or certain or predetermined) near5 time)) and network
21	BRS	5334	(configure$5 or program$5) near5 node
22	BRS	143	((configure$5 or program$5) near5 node) and ((quiscent or inactive) adj state)
23	BRS	0	((((configure$5 or program$5) near5 node) and ((quiscent or inactive) adj state)) and network) and (resource adj add$4)
24	BRS	15	((((configure$5 or program$5) near5 node) and ((quiscent or inactive) adj state)) and network) and resource
25	BRS	78	(((configure$5 or program$5) near5 node) and ((quiscent or inactive) adj state)) and network
26	BRS	18	(configure$4 or topology) near5 (node adj plurality)
27	BRS	1	((configure$4 or topology) near5 (node adj plurality)) and inactive

	Type	Hits	Search Text
28	BRS	609	(configure$4 or topology) and (node adj plurality)
29	BRS	210	((configure$4 or topology) and (node adj plurality)) and ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program))
30	BRS	45	((configure$4 or topology) and (node adj plurality)) and ((quiescent or inactive or freeze or off) near5 state)
31	BRS	14	(((configure$4 or topology) and (node adj plurality)) and ((quiescent or inactive or freeze or off) near5 state)) and (((configure$4 or topology) and (node adj plurality)) and ((node or end-point or points or junctions) near5 (reconfigure$4 or configure$4 or reprogram or program)))
32	BRS	45	((configure$4 or topology) and (node adj plurality)) and ((quiescent or inactive or freeze or off) near5 state)
33	BRS	27	(node adj configure).title
34	BRS	27	(node adj configure).tit
35	IS&R	2	(("5598566") or ("5761192")).PN.
36	IS&R	6	(("5088091") or ("5093824") or ("5247381") or ("5261096") or ("5488582") or ("5751967")).PN.
37	BRS	5470	(node or station or junctions) near10 (Topology or protocol)
38	BRS	34	((node or station or junctions) near10 (Topology or protocol)) and ((Topology or master adj node) adj service$4)
39	BRS	458	(node or station or junctions) near10 reconfigure$4
40	BRS	190	((node or station or junctions) near10 (Topology or protocol)) and synch$4
41	BRS	7	(((node or station or junctions) near10 (Topology or protocol)) and synch$4) and ((node or station or junctions) near10 reconfigure$4)

	Type	Hits	Search Text
42	BRS	0	((node or station or junctions) near10 reconfigure$4) and (((node or station or junctions) near10 (Topology or protocol)) and ((Topology or master adj node) adj service$4))
43	BRS	6218	(node or station or junction$4 or endpoint$3) near10 (Topology$4 or protocol$5)
44	BRS	2838	((node or station or junction$4 or endpoint$3) near10 (Topology$4 or protocol$5)) and configure$5
45	BRS	612	(((node or station or junction$4 or endpoint$3) near10 (Topology$4 or protocol$5)) and configure$5) and adapter$4
46	BRS	30	((((node or station or junction$4 or endpoint$3) near10 (Topology$4 or protocol$5)) and configure$5) and adapter$4) and synch$5
47	BRS	4976	(Configure$5 or program$5 or setup) near3 node$4
48	BRS	8	((Configure$5 or program$5 or setup) near3 node$4) and (Topology adj service$4)
49	BRS	2300	((Configure$5 or program$5 or setup) near3 node$4) and monitor$5
50	BRS	12242	(((Configure$5 or program$5 or setup) near3 node$4) and monitor$5) synch$5
51	BRS	113	(((Configure$5 or program$5 or setup) near3 node$4) and monitor$5) and synch$5
52	BRS	394	(((Configure$5 or program$5 or setup) near3 node$4) and monitor$5) and adapter$5
53	BRS	26	((((Configure$5 or program$5 or setup) near3 node$4) and monitor$5) and adapter$5) and ((((Configure$5 or program$5 or setup) near3 node$4) and monitor$5) and synch$5)
54	BRS	0	(Network adj adapter) near5 (topology adj service$4) near5 node$4 near5 configure$5
55	BRS	0	(Network adj adapter) near5 (topology adj service$4) near5 node$4
56	BRS	0	(Network adj adapter) near15 (topology adj service$4) near15 node$4

	DBs	Time Stamp	Comments	Error Definition
42	USPAT	2002/04/15 11:35		
43	USPAT	2002/04/15 11:37		
44	USPAT	2002/04/15 11:37		
45	USPAT	2002/04/15 11:38		
46	USPAT	2002/04/15 11:42		
47	USPAT	2002/04/15 12:53		
48	USPAT	2002/04/15 11:46		
49	USPAT	2002/04/15 12:02		
50	USPAT	2002/04/15 12:02		
51	USPAT	2002/04/15 12:02		
52	USPAT	2002/04/15 12:15		
53	USPAT	2002/04/15 12:03		
54	USPAT	2002/04/15 12:17		
55	USPAT	2002/04/15 12:17		
56	USPAT	2002/04/15 12:17		

	Type	Hits	Search Text
57	BRS	0	(Network adj adapter) near15 (topology adj service$4)
58	BRS	0	(Network adj adapter) near25 (topology adj service$4)
59	BRS	1505	(Network adj adapter)
60	BRS	182	((Network adj adapter)) and Topology$5
61	BRS	114	(((Network adj adapter)) and Topology$5) and node$5
62	BRS	85	((((Network adj adapter)) and Topology$5) and node$5) and configure$5
63	BRS	1406	(Configure$5) near2 node$4
64	BRS	406	node adj configuration$4
65	BRS	14	node adj reconfiguration$4
66	BRS	10	(node adj configuration$4) and quiescent
67	IS&R	1	("6192483").PN.
68	BRS	512603	(period or parameter or attribute) near5 (time, seconds, period, minute)
69	BRS	95580	(node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)
70	BRS	129143	(quiescent or inactive or freeze or hung or off) near5 (state or status or mode or condition)
71	BRS	105030	(predtermine or known or default or beforehand) near5 (period or time or minutes or seconds)
72	BRS	2581	((period or parameter or attribute) near5 (time, seconds, period, minute)) same ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program))
73	BRS	8665	((period or parameter or attribute) near5 (time, seconds, period, minute)) same ((quiescent or inactive or freeze or hung or off) near5 (state or status or mode or condition))

	Type	Hits	Search Text
74	BRS	9038	((period or parameter or attribute) near5 (time, seconds, period, minute)) same ((predtermine or known or default or beforehand) near5 (period or time or minutes or seconds))
75	BRS	49	(((period or parameter or attribute) near5 (time, seconds, period, minute)) same ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program))) same (((period or parameter or attribute) near5 (time, seconds, period, minute)) same ((quiescent or inactive or freeze or hung or off) near5 (state or status or mode or condition)))
76	BRS	34	(((period or parameter or attribute) near5 (time, seconds, period, minute)) same ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program))) same (((period or parameter or attribute) near5 (time, seconds, period, minute)) same ((predtermine or known or default or beforehand) near5 (period or time or minutes or seconds)))
77	BRS	32250	((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program))
78	BRS	50763	((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((quiescent or inactive or freeze or hung or off) near5 (state or status or mode or condition))
79	BRS	40343	((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((predtermine or known or default or beforehand) near5 (period or time or minutes or seconds))

	Type	Hits	Search Text
80	BRS	32250	(((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program))) and (((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)))
81	BRS	5353	((((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program))) and (((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)))) and (((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((predtermine or known or default or beforehand) near5 (period or time or minutes or seconds)))

	Type	Hits	Search Text
82	BRS	578	(((((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program))) and (((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)))) and (((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((predtermine or known or default or beforehand) near5 (period or time or minutes or seconds)))) and (709/$).ccls
83	BRS	20	((((((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program))) and (((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)))) and (((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((predtermine or known or default or beforehand) near5 (period or time or minutes or seconds)))) and (709/$).ccls) and node) and quiescent

	Type	Hits	Search Text
84	BRS	286	(((((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program))) and (((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)))) and (((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((predtermine or known or default or beforehand) near5 (period or time or minutes or seconds)))) and (709/$).ccls) and node
85	BRS	334	(((((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program))) and (((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)))) and (((period or parameter or attribute) near5 (time, seconds, period, minute)) and ((predtermine or known or default or beforehand) near5 (period or time or minutes or seconds)))) and (714/$).ccls
86	BRS	24190	((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)) and (initialize$4 or resetting)

	Type	Hits	Search Text
87	BRS	2867	((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)) same(initialize$4 or resetting)
88	BRS	94	(((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)) same(initialize$4 or resetting)) same ((period or parameter or attribute) near5 (time, seconds, period, minute))
89	BRS	1	((((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)) same(initialize$4 or resetting)) same ((period or parameter or attribute) near5 (time, seconds, period, minute))) same ((quiescent or inactive or freeze or hung or off) near5 (state or status or mode or condition))
90	BRS	1	((((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)) same(initialize$4 or resetting)) same ((period or parameter or attribute) near5 (time, seconds, period, minute))) and ((((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)) same(initialize$4 or resetting)) same ((quiescent or inactive or freeze or hung or off) near5 (state or status or mode or condition)))
91	BRS	43	(((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)) same(initialize$4 or resetting)) same ((quiescent or inactive or freeze or hung or off) near5 (state or status or mode or condition))

	Type	Hits	Search Text
92	BRS	653	node same reconfigure$4
93	BRS	1	(node same reconfigure$4) same ((predtermine or known or default or beforehand) near5 (period or time or minutes or seconds))
94	BRS	3	(node same reconfigure$4) same (((node or end-point or point or junction or client or server or host or computer) near5 (reconfigure or configure? or reprogram or program)) same(initialize$4 or resetting))
95	BRS	69	(node same reconfigure$4) and ((predtermine or known or default or beforehand) near5 (period or time or minutes or seconds))
96	BRS	653	node same reconfigure$4
97	BRS	1508	node same (predetermine$4 adj time)
98	BRS	996	node same quiescent
99	BRS	54	(node same reconfigure$4) and (node same (predetermine$4 adj time))
100	BRS	1	((node same reconfigure$4) and (node same quiescent)) and ((node same reconfigure$4) and (node same (predetermine$4 adj time)))
101	BRS	11	(node same reconfigure$4) and (node same quiescent)
102	BRS	867	reconfigure$4 near5 network
103	BRS	0	(reconfigure$4 near5 network) and 709/223.ccls
104	BRS	0	(reconfigure$4 near5 network) and 709/$.ccls
105	BRS	57	(reconfigure$4 near5 network) and (709/223).ccls
106	IS&R	1	("5752568").PN.
107	IS&R	1	("5752068").PN.